



Product **713-866 mounting spanner for ring nut PG9/M16x1,5**  
 Article number **07 0084 000**

## Illustration



## Scale drawing



## Matching products

- Cable plug connector, plastic lock, screw terminal connection, with UL approval
- Cable plug connector, metal lock, screw terminal connection
- Cable plug connector, stainless steel threaded lock, gold plated contacts, screw terminal connection, with UL approval
- Kabelstecker, Outdoor, Schraubklemmanschluss
- Dual plug connector, plastic lock, screw terminal connection, with UL approval
- Dual plug connector, metal lock, screw terminal connection, Optimal contact plating, with UL approval
- Dual plug connector, stainless steel threaded lock, screw terminal connection, gold plated contacts, with UL approval
- Cable plug connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval
- Cable plug connector, shieldable, static ring version with die-cast threaded ring, solder connection, with offset soldering surfaces, with UL approval
- Cable plug connector, screw terminal connection, static ring version, with UL approval
- Cable plug connector, shieldable, screw terminal connection, iris type spring with die-cast threaded ring, with UL approval
- Cable plug connector, shieldable, screw terminal connection, static ring version, stainless steel model, with UL approval
- Cable plug connector with wire clamp connection
- Cable plug connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring
- Cable plug connector, shieldable, wire clamp connection, iris type spring, with die-cast threaded ring
- Cable plug connector, with insulation displacement connection, gold contact plating
- Kabelstecker, Crimpanschluss
- Kabelstecker, Crimpanschluss, schirmbar
- Male angled connector, plastic lock, screw terminal connection, with UL approval
- Male angled connector, metal lock, screw terminal connection
- Male angled connector, stainless steel threaded lock, screw terminal connection, gold plated contacts, UL approval
- Dual male angled connector, plastic lock, screw terminal connection, with UL approval
- Dual male angled connector, metal lock, screw terminal connection, with UL approval
- Male angled connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval
- Male angled connector, shieldable, iris type spring, screw terminal connection, with die-cast threaded ring, with UL approval
- Male angled connector with wire clamp connection
- Male angled connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring
- Male angled connector, shieldable, iris type spring, wire clamp connection with die-cast threaded ring
- Female cable connector, plastic lock, grip body black, screw terminal connection, with UL approval
- Female cable connector, plastic lock, grip body transparent, screw terminal connection
- Female cable connector, metal lock, screw terminal connection
- Female cable connector, metal lock, solder connection, with offset soldering surfaces, with UL approval
- Female cable connector, stainless steel threaded lock, screw terminal connection, gold plated contacts, UL approval
- Kabeldose, Outdoor, Schraubklemmanschluss
- Double socket with plastic lock, screw terminal connection, Optimal contact surface, with UL approval
- Double socket, stainless steel threaded lock, screw terminal connection, gold contact plating, with UL approval
- Female cable connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval
- Female cable connector, shieldable, static ring version with die-cast threaded ring, solder connection, with offset soldering surfaces, with UL approval
- Female cable connector, screw terminal connection, static ring version, with UL approval
- Female cable connector, shieldable, screw terminal connection, iris type spring with die-cast threaded ring, with UL approval
- Female cable connector, shieldable, screw terminal connection, static ring version, stainless steel model, with UL approval
- Female cable connector with wire clamp connection
- Female cable connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring
- Female cable connector, shieldable, wire clamp connection, iris type spring, with die-cast threaded ring
- Female cable connector with insulation displacement connection, gold contact plating
- Kabeldose, Crimpanschluss

Product	<b>713-866 mounting spanner for ring nut PG9/M16x1,5</b>
Article number	<b>07 0084 000</b>

Kabeldose, Crimpanschluss, schirmbar  
 Female angled connector, plastic lock, screw terminal connection, with UL approval  
 Female angled connector, plastic lock, transparent, screw terminal connection, with UL approval  
 Female angled connector, metal lock, screw terminal connection  
 Female angled connector, metal lock, solder connection, with offset soldering surfaces, with UL approval  
 Female angled connector, stainless steel threaded lock, screw terminal connection, gold plated contacts, UL approval  
 Female angled connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Female angled connector, shieldable, static ring version with die-cast threaded ring, solder connection, with offset soldering surfaces, with UL approval  
 Female angled connector, shieldable, iris type spring, screw terminal connection with die-cast threaded ring, with UL approval  
 Female angled connector with wire clamp connection  
 Female angled connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring  
 Female angled connector, shieldable, iris type spring, wire clamp with die-cast thread  
 Integrated plug, recessed, with lip seals, solder  
 Integrated plug, recessed, with lip seals, dip-solder  
 Integrated plug, recessed, with o-ring, solder  
 Integrated plug, recessed, with o-ring, dip-solder  
 Female cable connector, crimp termination  
 Female angled connector, crimp termination  
 Male angled connector, crimp termination, shieldable  
 Female angled connector, crimp termination, shieldable  
 Cable plug connector, overmoulded  
 Cable plug connector, overmoulded, weld-spark proof PUR line  
 Cable plug connector, overmoulded, shielded  
 Cable plug connector, overmoulded, stainless steel threaded ring  
 Male angled connector, overmoulded  
 Male angled connector, overmoulded, weld-spark proof PUR line  
 Male angled connector, overmoulded, shielded  
 Male angled connector, overmoulded, stainless steel threaded ring  
 Winkelstecker umspitzt, mit LED, PNP  
 Female cable connector overmoulded,  
 Kabeldose umspritzt, 120°C  
 Female cable connector, overmoulded, weld-spark proof PUR line  
 Female cable connector overmoulded, shielded  
 Female cable connector overmoulded, stainless steel threaded ring  
 Kabeldose, umspritzt, mit LED, PNP  
 Female angled connector, overmoulded  
 Winkeldose, umspritzt, 120°C  
 Female angled connector, overmoulded, weld-spark proof PUR line  
 Female angled connector overmoulded, shielded  
 Female angled connector, overmoulded, stainless steel threaded ring  
 Female angled connector, overmoulded, with LED PNP NOC  
 Female angled connector, overmoulded, with LED PNP NOC, VA threaded lock  
 Cable plug connector, CAN bus, with UL approval  
 Female cable connector, CAN bus, with UL approval  
 Terminating plug, CAN bus  
 Terminating socket, CAN bus  
 male cable connector, crimp connection  
 Cable plug connector, metal lock, screw terminal connection, with UL approval  
 Cable plug connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Cable plug connector, shieldable, screw terminal connection, iris type spring with die-cast threaded ring, with UL approval  
 Cable plug connector, shieldable, screw terminal connection, static ring version, stainless steel model, with UL approval  
 Cable plug connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring  
 Cable plug connector, shieldable, wire clamp connection, iris type spring, with die-cast threaded ring  
 Male angled connector, metal lock, screw terminal connection, with UL approval  
 Male angled connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Male angled connector, shieldable, screw terminal connection, iris type spring, with die-cast threaded ring, with UL approval  
 Male angled connector, shieldable with wire clamp connection, with die-cast threaded ring  
 Male angled connector, shieldable, iris type spring shield, with wire clamp connection, with die-cast threaded ring  
 female cable connector, crimp connection  
 Female cable connector, metal lock, screw terminal connection, with UL approval  
 Female cable connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Female cable connector, shieldable, screw terminal connection, iris type spring, with die-cast threaded ring, with UL approval  
 Female cable connector, shieldable, screw terminal connection, static ring version, stainless steel model, with UL approval  
 Female cable connector, shieldable, wire clamp connection, static ring version with die-cast threaded ring  
 Female cable connector, shieldable, wire clamp connection, iris type spring, with die-cast threaded ring  
 Female angled connector, metal lock, screw terminal connection, with UL approval  
 Female angled connector, shieldable, screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Female angled connector, shieldable, screw terminal connection, iris type spring, with die-cast threaded ring, with UL approval  
 Female angled connector, shieldable with wire clamp connection, with die-cast threaded ring  
 Female angled connector, shieldable, wire clamp connection, iris type spring, with die-cast threaded ring

Product	<b>713-866 mounting spanner for ring nut PG9/M16x1,5</b>
Article number	<b>07 0084 000</b>

female cable connector, crimp connection  
 male cable connector, crimp connection  
 Cable plug connector, overmoulded  
 Male angled connector, overmoulded  
 Female cable connector overmoulded,  
 Female angled connector, overmoulded  
 Cable plug connector, PROFIBUS, with UL approval  
 Female cable connector, PROFIBUS, with UL approval  
 Terminating plug, PROFIBUS  
 Cable plug connector, shieldable, CAT 5 screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Cable plug connector, shieldable, CAT 5 screw terminal connection, iris type spring with die-cast threaded ring, with UL approval  
 Cable plug connector, shieldable, screw terminal connection, static ring version, stainless steel model, with UL approval  
 Cable plug connector, CRIMP connection, shieldable, CAT 5  
 Male angled connector, shieldable, CAT 5 screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Male angled connector, shieldable, CAT 5 screw terminal connection, iris type spring, with die-cast threaded ring, with UL approval  
 Male angled connector, CRIMP connection, shieldable, CAT 5  
 Female cable connector, shieldable, CAT 5 screw terminal connection, with die-cast threaded ring, static ring version, with UL approval  
 Female cable connector, shieldable, CAT 5 screw terminal connection, iris type spring, with die-cast threaded ring, with UL approval  
 Female angled connector, shieldable, CAT 5 screw terminal connection, static ring version with die-cast threaded ring, with UL approval  
 Female angled connector, shieldable, CAT 5 screw terminal connection, iris type spring with die-cast threaded ring, with UL approval  
 Cable plug connector, PROFINET, with UL approval  
 Female cable connector, PROFINET, with UL approval  
 Cable plug connector, power, S-coding  
 Male angled connector, power, S-coding  
 Female cable connector, power, S-coding  
 Female angled connector, power, S-coding  
 male panel mount connector, rectangular flange, with single wires, metal housing  
 Male panel mount connector, power, S-coding, screw terminal connection  
 Male panel mount connector, power, S-coding, with single wires  
 Flanschstecker, Power, S-Kodierung, von vorn verschraubbar, mit Litzen  
 Flanschstecker, Power, S-Kodierung, mit Litzen, M20 x 1,5  
 Female panel mount connector, power, S-coding, screw terminal connection  
 Female panel mount connector, power, S-coding, with single wires  
 Flanschdose, Power, S-Kodierung, von vorn verschraubbar, mit Litzen  
 female panel mount connector, rectangular flange, with single wires, metal housing  
 Flanschstecker, Power, S-Kodierung, mit Litzen, M20 x 1,5  
 Kabelstecker, POWER, T-Kodierung  
 male cable connector with t-coding, Power, screw clamp connection, iris type spring, shieldable  
 Winkelstecker mit T-Kodierung, POWER, Kabeldurchlass 8-10 mm  
 Female cable connector, POWER, T-coding  
 female cable connector with T-coding, Power, screw clamp connection, iris type screw, shieldable  
 Winkeldose mit T-Kodierung, POWER, Kabeldurchlass 8-10 mm  
 Flanschstecker, POWER, T-Kodierung, M20 x 1,5  
 Flanschstecker mit T-Kodierung, POWER, von vorn verschraubbar, tauchlöten, M16 x 1,5  
 Flanschstecker mit T-Kodierung, POWER, mit Litzen, M16 x 1,5  
 Flanschstecker mit T-Kodierung, POWER, von vorn verschraubbar, mit Litzen, M16 x 1,5  
 Flanschstecker mit T-Kodierung, POWER, mit Litzen, M20 x 1,5  
 Flanschstecker, Viereckflansch, mit Litzen, Metallgehäuse  
 Flanschdose, POWER, T-Kodierung, M20 x 1,5  
 Flanschdose mit T-Kodierung, POWER, von vorn verschraubbar, tauchlöten  
 Flanschdose mit T-Kodierung, POWER, mit Litzen, M16 x 1,5  
 Flanschdose mit T-Kodierung, POWER, von vorn verschraubbar, mit Litzen, M16 x 1,5  
 Flanschdose mit T-Kodierung, POWER, mit Litzen, M20 x 1,5  
 Flanschdose, Viereckflansch, mit Litzen, Metallgehäuse  
 Male panel mount connector with single wires, T-Coding, plastic housing  
 Male panel mount connector, front fastened, with single wires, T-Coding, plastic housing  
 Female panel mount connector with single wires, T-Coding, plastic housing  
 Female panel mount connector, front fastened, with single wires, T-Coding, plastic housing  
 Male cable connector, moulded, T-Coding, PUR (black)  
 Female cable connector, moulded, T-Coding, PUR (black)  
 Connecting cable, Male cable connector M12x1, T-Coding-Female cable connector M12x1, T-Coding, PUR  
 Cable plug connector M12 x 1  
 Cable plug connector ½ " UNF with UL approval  
 Male angled connector M12 x 1  
 Male angled connector ½ " UNF with UL approval  
 Female cable connector M12 x 1  
 Female cable connector ½ " UNF with UL approval  
 Female angled connector M12 x 1, screw  
 Female angled connector ½ " UNF, screw, with UL approval  
 Integrated plug with grounding ring, solder, gold contact plating, with UL approval

Product	<b>713-866 mounting spanner for ring nut PG9/M16x1,5</b>
Article number	<b>07 0084 000</b>

Cable plug connector, over-moulded, M12 x 1  
Cable plug connector, over-moulded, 1/2" UNF  
Male angled connector, over-moulded, M12 x 1  
Male angled connector, over-moulded, 1/2" UNF  
Female cable connector, over-moulded, M12 x 1  
Female cable connector, over-moulded, 1/2" UNF  
Female angled connector, over-moulded, M12 x 1  
Female angled connector, over-moulded, 1/2" UNF