#### **Product sheet**

# Automation technology - Speciality connectors




Product


Contacts: 4, Male panel mount connector with single wires and UL approval, PG 11, PG 13.5, M20 x 1.5

Area Article number 7/8" Series 820/870 09 2449 300 04

Pole

Illustration





# You can find the assembly instruction on the next page.

# **Technical data**

#### **Common values**

Connector Design Connector locking system Termination Wire gauge (mm) Wire gauge (AWG) Upper temperature Lower temperature

Male panel mount connector Screws 7/8" - 16 UN Litzen 0.82 mm<sup>2</sup> 85 °C -25 °C

#### **Cable data**

material housing Insulation single lead Single lead structure Conductor resistance Bending radius cable fixed Bending radius cable movable

### **Electrical values**

Rated voltage 250 V 4000 V Rated impulse voltage Pollution degree 3 Overvoltage category Ш Material group Ш Rated current (40°C) 8 A Volume resistivity ≤ 3 mΩ EMV compliance IP67 Degree of protection Mechanical operation > 50 mating cycles

## Material

Material of contact CuZn (Brass) Contact plating Au (Gold) Material of contact body PUR, PA (UL 94 HB) Material of housing Nickel-plated zinc die casting

fixing thread: PG 13.5, Contacts: 4, Male panel mount connector with single wires, with UL approval

## **Product sheet**

# Automation technology - Speciality connectors



Product

Contacts: 4, Male panel mount connector with single wires and UL approval, PG 11, PG 13.5, M20 x 1.5

Area Article number 7/8" Series 820/870 09 2449 300 04

Pole

4

